

BASIN & WC COLLECTION





MICRA EVO



RIMLESS

Fully Enclosed Close Coupled WC
Spigot distance from wall 130mm
384(w) x 852(h) x 620(d)mm

Pan - PF950S
6/4L Cistern - C950S
Seat - DCI4037



RIMLESS

Fully Enclosed Close Coupled WC With Contactless Flush
Spigot distance from wall 130mm
384(w) x 852(h) x 620(d)mm

Pan - PF950S
Sensor Cistern - C950S-SEN
Seat - DCI4037



RIMLESS

Open Back Close Coupled WC
Spigot distance from wall 140mm
384(w) x 852(h) x 620(d)mm

Pan - P950S
6/4L Cistern - C950S
Seat - DCI4037



RIMLESS

Open Back Close Coupled WC With Contactless Flush
Spigot distance from wall 140mm
384(w) x 852(h) x 620(d)mm

Pan - P950S
Sensor Cistern - C950S-SEN
Seat - DCI4037



RIMLESS

Back To Wall WC
365(w) x 410(h) x 490(d)mm

Pan - BTW950S
Seat - DCI4037



RIMLESS

Wall Hung WC
360(w) x 320(h) x 510(d)mm

Pan - WH250S
Seat - DCI4037



Semi-Countertop Basin
475(w) x 150(h) x 420(d)mm
Min furniture depth 275mm

Basin - DCI4029



Slim Depth Semi-Countertop Basin
475(w) x 150(h) x 390(d)mm
Min furniture depth 218mm

Basin - DCI4028

MICRA EVO FEATURES

Semi-Countertop Basin

These simple yet stylish semi-countertop basins are the perfect accompaniment to our fitted furniture. Available in both standard or slim depth to match your fitted furniture, without compromising on the generous wash space.

WC Styles

Our Micra Evo collection offers four WC styles to choose from. Offering open back or fully concealed options in a classic close coupled design. There are also back to wall or wall hung options which are perfect for creating a more minimal look.

Rimless Design

The softly geometric design style of Micra Evo makes it easy to style in any bathroom. Plus, all Micra Evo WCs feature Easi-clean rimless technology which makes them exceptionally hygienic and easy to clean.

Soft Close WC Seats

Enjoy the premium feel of our soft close seats, with your choice of slim or wrap over design styles. Both feature quick release buttons for easier removal and cleaning.

Alternative



Wrap Over Soft Close Toilet Seat
Alternative seat design option
363(w) x 425(d)mm
Seat - DCI4031

CONTACTLESS WCS




All Micra Evo close coupled WCs are available with a contactless flush

EASI-CLEAN



Blow the lid on germs with our rimless WC technology. The rimless design makes it exceptionally hygienic and easy to clean, a simple wipe of the rim means there is nowhere germs can hide. Water is projected around the bowl to ensure it is completely clean.

BLACK & BRUSHED BRASS UPGRADES



Optional Flush Button Upgrade
For use with Micra Evo cisterns
Brushed Brass TR9039
Black TR9027



Optional Hinge Upgrade
Available March 2023
For Seat DCI4037
Black - DC4019
Brushed Brass - DC4020

For Seat DCI4031
Black - DC4015
Brushed Brass - DC4016





LOFT FEATURES

Semi-Countertop Basin
The softly geometric semi-countertop basins combine slim ceramic sides with generous wash space. They look great when used with Tavistock fitted furniture and can be used in 500mm wide units.

Comfort Design
Ideal for those who stand a little taller or have mobility issues, all Loft Comfort-Height WCs sit several centimetres higher than standard toilets, meaning less strain on the knees and back.

WCs & Rimless Design
The smooth-sided design of Loft's WCs work with any modern bathroom and makes them easy to keep dust-free. Also available in back to wall and wall hung versions, they all feature Easi-clean rimless technology which makes them exceptionally hygienic and easy to clean on the inside as well.

Soft Close WC Seats
The Loft range comes with a choice of soft close toilet seats. Choose from a two button quick release thermoset seat or a Premium lift off wrap over version. Both versions are top fix for easy installation.

Secure-Fix QR
Adjustable hinge technology that keeps the seat firmly in place. Whilst also making installation simple and easy with the aid of a fitting template.



LOFT

 <p>Secure-Fix QR</p> <p>Open Back Close Coupled WC Spigot distance from wall 152mm 370(w) x 835(h) x 640(d)mm Pan - DCI4033 6/4L Cistern - DCI4035 Seat - O803SC-SF</p>	 <p>Secure-Fix QR</p> <p>Comfort Height Open Back Close Coupled WC Spigot distance from wall 152mm 370(w) x 885(h) x 640(d)mm Pan - DCI4034 6/4L Cistern - DCI4035 Seat - O803SC-SF</p>	 <p>Secure-Fix QR</p> <p>Back To Wall WC 370(w) x 410(h) x 490(d)mm Pan - DCI4026 Seat - O803SC-SF</p>	 <p>Secure-Fix QR</p> <p>Comfort Height Back To Wall WC 370(w) x 460(h) x 490(d)mm Pan - DCI4027 Seat - O803SC-SF</p>
 <p>Secure-Fix QR</p> <p>Wall Hung WC 370(w) x 355(h) x 490(d)mm Pan - PWHPAN Seat - O803SC-SF</p>	 <p>Semi-Countertop Basin 475(w) x 150(h) x 420(d)mm Min furniture depth 275mm Basin - DCI4029</p>	 <p>Slim Depth Semi-Countertop Basin 475(w) x 150(h) x 390(d)mm Min furniture depth 218mm Basin - DCI4028</p>	<p><i>Alternative</i></p>  <p>Premium Lift Off Wrap Over Soft Close Seat Alternative seat design option 369(w) x 418(d)mm Seat - DCI4030</p>

BLACK & BRUSHED BRASS UPGRADES



Optional Flush Button Upgrade
For use with Loft cisterns
Brushed Brass - TR9039
Black - TR9027

Optional Hinge Upgrade for Seat DCI4030
Black - DC4011
Brushed Brass - DC4012



CONTACTLESS WCS
All Orbit close coupled WCS are available with a contactless flush

ORBIT



550mm Basin & Pedestal
555(w) x 840(h) x 440(d)mm
Basin - RA550SB
Pedestal - PE100S



550mm Wash Basin
555(w) x 155(h) x 440(d)mm
Basin - RA550SB
Trap - TRAP6



Semi-Countertop Basin
560(w) x 130(h) x 450(d)mm
Min furniture depth 250mm
Basin - DC14004



Slim Depth Semi-Countertop Basin
540(w) x 145(h) x 385(d)mm
Min furniture depth 215mm
Basin - DC14005



Secure-Fix QR

Fully Enclosed Close Coupled WC
Spigot distance from wall 190mm
370(w) x 835(h) x 620(d)mm
Pan - P250S
4.5/3L Cistern - RA453CCC
Seat - TS250S-SF



Secure-Fix QR

Fully Enclosed Close Coupled WC With Contactless Flush
Spigot distance from wall 190mm
370(w) x 835(h) x 620(d)mm
Pan - P250S
Sensor Cistern RA453CCC-SEN
Seat - TS250S-SF



Secure-Fix QR

Fully Enclosed Comfort Height Close Coupled WC
Spigot distance from wall 195mm
370(w) x 880(h) x 620(d)mm
Pan - PCF250S
4.5/3L Cistern - RA453CCC
Seat - TS250S-SF



Secure-Fix QR

Fully Enclosed Comfort Height Close Coupled WC With Contactless Flush
Spigot distance from wall 195mm
370(w) x 880(h) x 620(d)mm
Pan - PCF250S
Sensor Cistern RA453CCC-SEN
Seat - TS250S-SF

ORBIT FEATURES

Wash Basins

The extra thin edged basin design with 1 tap hole for monobloc mixers offers a generous wash space. It can be used with a coordinating pedestal or, for a more contemporary look, wall hung with a simple chrome bottle trap.

WCS

The Orbit close coupled WC is sure to become a design classic with rounded contemporary styling. Also available in back to wall or wall hung versions, they all feature Easi-clean rimless technology which makes it exceptionally hygienic and easy to clean. The short projection designs make Orbit a great choice where space is tight.


Soft Close WC Seats

Orbit WCS have a low profile high quality thermoset wrap over seat fitted with a soft close mechanism with quick release hinges for easy removal and cleaning.

Secure-Fix QR

Adjustable hinge technology that keeps the seat firmly in place. Whilst also making installation simple and easy with the aid of a fitting template.

BLACK & BRUSHED BRASS UPGRADES



Optional Flush Button Upgrade
For use with Orbit cisterns

Brushed Brass - TR9038
Black - TR9026



Optional Hinge Upgrade For Seat

TS250S-SF
Available March 2023
Black - DC4021
Brushed Brass - DC4022




Secure-Fix QR

Back To Wall WC
365(w) x 410(h) x 565(d)mm
Pan - BTW250S
Seat - TS250S-SF



Secure-Fix QR

Wall Hung WC
365(w) x 310(h) x 510(d)mm
Pan - WH250S
Seat - TS250S-SF



EASI-CLEAN

Blow the lid on germs with our rimless WC technology. The rimless design makes it exceptionally hygienic and easy to clean, a simple wipe of the rim means there is nowhere germs can hide. Water is projected around the bowl to ensure it is completely clean.



Choose Comfort
Being both higher & wider than standard WCs all Aerial WCs offer optimum comfort



AERIAL



Comfort Height Open Back Close Coupled WC
Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm
Pan - PC650S
6/3L Cistern - C650S
Seat - TS650S



Comfort Height Open Back Close Coupled WC With Contactless Flush
Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm
Pan - PC650S
Sensor Cistern - C650S-SEN
Seat - TS650S



Comfort Height Fully Enclosed Close Coupled WC
Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm
Pan - PCF650S
6/3L Cistern - C650S
Seat - TS650S



Comfort Height Fully Enclosed Close Coupled WC With Contactless Flush
Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm
Pan - PCF650S
Sensor Cistern - C650S-SEN
Seat - TS650S



Comfort Height Back To Wall WC
380(w) x 460(h) x 505(d)mm
Pan - BTWC650S
Seat - TS650S



Wall Hung WC
380(w) x 330(h) x 495(d)mm
Pan - WH650S
Seat - TS650S



Semi-Countertop Basin
560(w) x 155(h) x 430(d)mm
Min furniture depth 290mm
Basin - DC14002



Slim Depth Semi-Countertop Basin
560(w) x 145(h) x 355(d)mm
Min furniture depth 218mm
Basin - DC14003

AERIAL FEATURES

Semi-Countertop Basin
The softly geometric semi-countertop basins combine slim ceramic sides with generous wash space. They look great when used with either standard or slim depth Tavistock fitted furniture & feature a single tap hole.

Comfort Design
Ideal for those who stand a little taller or have mobility issues, all Aerial Comfort Height WCs sit several centimetres higher than standard toilets, meaning less strain on the knees and back. Designed for optimum comfort all Aerial WCs also feature a wider seat.

WCs & Rimless Design
The smooth-sided design of Aerial's WCs work with any modern bathroom and makes them easy to keep dust-free. Also available in back to wall or wall hung versions, they all feature Easi-clean rimless technology which makes them exceptionally hygienic and easy to clean on the inside as well.

Soft Close WC Seats
Aerial WCs have a low profile, high quality anti bacterial toilet seat, fitted with a soft close mechanism and quick release hinges for easy removal and cleaning.

BLACK & BRUSHED BRASS UPGRADES



Optional Flush Button Upgrade
For use with Aerial cisterns
Brushed Brass - TR9039
Black - TR9027



Optional Hinge Upgrade For Seat
TS650S
Available March 2023
Black - DC4019
Brushed Brass - DC4020



EASI-CLEAN



Blow the lid on germs with our rimless WC technology. The rimless design makes it exceptionally hygienic and easy to clean, a simple wipe of the rim means there is nowhere germs can hide. Water is projected around the bowl to ensure it is completely clean.

CONTACTLESS WCs



All Aerial close coupled WCs are available with a contactless flush

STRUCTURE



Open Back Close Coupled WC
Spigot distance from wall 210mm
345(w) x 850(h) x 640(d)mm
Pan - P450S
4.5/3L Cistern - C450S
Seat - TS450S



Fully Enclosed Close Coupled WC
Spigot distance from wall 150mm
345(w) x 850(h) x 610(d)mm
Pan - PF450S
4.5/3L Cistern - C450S
Seat - TS450S



Comfort Height Open Back Close Coupled WC
Spigot distance from wall 185mm
350(w) x 910(h) x 640(d)mm
Pan - PC455S
4.5/3L Cistern - C450S
Seat - TS450S



Comfort Height Fully Enclosed Close Coupled WC
Spigot distance from wall 190mm
345(w) x 910(h) x 630(d)mm
Pan - PC450S
4.5/3L Cistern - C450S
Seat - TS450S



Back To Wall WC
345(w) x 395(h) x 515(d)mm
Pan - BTW450S
Seat - TS450S



Short Projection Back To Wall WC
345(w) x 395(h) x 475(d)mm
Pan - BTW475S
Seat - TS450S



Comfort Height Back To Wall WC*
345(w) x 460(h) x 515(d)mm
Pan - BTWC450S
Seat - TS450S



Wall Hung WC
345(w) x 345(h) x 505(d)mm
Pan - VH450S
Seat - TS450S

RIMLESS

* Comfort Height Cistern available.



Open Back Close Coupled WC With Contactless Flush
Pan - P450S
Sensor Cistern - C450S-SEN
Seat - TS450S



Fully Enclosed Close Coupled WC With Contactless Flush
Pan - PF450S
Sensor Cistern - C450S-SEN
Seat - TS450S



Comfort Height Open Back Close Coupled WC With Contactless Flush
Pan - PC455S
Sensor Cistern - C450S-SEN
Seat - TS450S



Comfort Height Fully Enclosed Close Coupled WC With Contactless Flush
Pan - PC450S
Sensor Cistern - C450S-SEN
Seat - TS450S



550mm Slim Basin & Pedestal
550(w) x 850(h) x 430(d)mm
Basin - SB450S
Pedestal - PE450S



Semi-Countertop Basin
Minimum furniture depth 320mm
550(w) x 170(h) x 430(d)mm
Basin - SCSB453S



Slim Depth Semi-Countertop Basin
Minimum furniture depth 218mm
550(w) x 170(h) x 330(d)mm
Basin - SCSB452S



Alternative Quick Release Toilet Seat
Alternative seat design option
345(w) x 424(d)mm
Seat - TS451S

BLACK & BRUSHED BRASS UPGRADES



Optional Hinge Upgrade For Seat
TS450S & TS451S
Available March 2023
Black - DC4017
Brushed Brass - DC4018



Optional Flush Button Upgrade
For use with Structure cisterns
Brushed Brass - TR9038
Black - TR9026



All Structure close coupled WCs are available with a contactless flush



CONTACTLESS WCs
All Lansdown close coupled WCs are available with a contactless flush

LANSDOWN



Semi-Countertop Basin 1TH
Minimum furniture depth 275mm
490(w) x 140(h) x 420(d)mm
DCI14047



Semi-Countertop Basin 2TH
Minimum furniture depth 275mm
490(w) x 140(h) x 420(d)mm
DCI14048



Slim Depth Semi-Countertop Basin 1TH
Minimum furniture depth 218mm
490(w) x 140(h) x 370(d)mm
DCI14045



Slim Depth Semi-Countertop Basin 2TH
Minimum furniture depth 218mm
490(w) x 140(h) x 370(d)mm
DCI14046



Short Projection Open Back Close Coupled WC
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DCI14043
6/4L Cistern - DCI14036
Seat - DCI14037



Short Projection Open Back Close Coupled WC With Contactless Flush
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DCI14043
Sensor Cistern DCI14036-SEN
Seat - DCI14037



Short Projection Fully Enclosed Close Coupled WC
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DCI14042
6/4L Cistern - DCI14036
Seat - DCI14037
Total



Short Projection Fully Enclosed Close Coupled WC With Contactless Flush
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DCI14042
Sensor Cistern DCI14036-SEN
Seat - DCI14037

LANSDOWN FEATURES

Basins

Lansdown semi-countertop basins offer a classic styling choice for your furniture, available with one or two tap holes to suit your preference of contemporary or classic design. Supplied with grate and conventional overflow trims.

Short projection, rimless WCs


Designed for UK bathrooms, Lansdown WC options have a space-saving, short projection design. The timeless styling will work well with both classic or more contemporary bathrooms. Easi-Clean rimless technology makes them exceptionally hygienic and easy to clean, whilst close coupled WCs feature Air Gap technology.

Soft Close WC seat

The Lansdown thermostet WC seat has soft close hinges with a quick release button for ease of cleaning.



BLACK & BRUSHED BRASS UPGRADES



Optional Flush Button Upgrade
For use with Lansdown cisterns
Black - TR9026
Brushed Brass - TR9038



Optional Hinge Upgrade
For Seat DCI14037
Available March 2023
Black - DC4019
Brushed Brass - DC4020



Short Projection Back To Wall WC
360(w) x 410(h) x 490(d)mm
Pan - DCI14044
Seat - DCI14037

EASI-CLEAN



Blow the lid on germs with our rimless WC technology. The rimless design makes it exceptionally hygienic and easy to clean, a simple wipe of the rim means there is nowhere germs can hide. Water is projected around the bowl to ensure it is completely clean.



VITORIA



605mm Ceramic Basin & Pedestal 1 Tap Hole
605(w) x 910(h) x 505(d)mm
Basin - SB850S
Pedestal - PE850S



605mm Ceramic Basin & Pedestal 2 Tap Holes
605(w) x 10(h) x 505(d)mm
Basin - DB850S
Pedestal - PE850S



605mm Basin & Washstand 1 Tap Hole
605(w) x 1010(h) x 505(d)mm
Basin - SB850S
Washstand - DC14024



605mm Basin & Washstand 2 Tap Hole
605(w) x 1010(h) x 505(d)mm
Basin - DB850S
Washstand - DC14024



High Level WC & Cistern
481(w) x 2380max(h) x 635(d)mm
Pan - PL850S
6L Cistern - CH850S
Pipe & Chain - HLK850S
Seat Oak - TS850NOSC



Low Level WC & Cistern
481(w) x 1157max(h) x 700(d)mm
Pan - PL850S
6/4L Cistern - CL850S
Pipe & Fittings - LLK850S
Seat Oak - TS850NOSC



Close Coupled WC & Cistern
Spigot distance from wall 140mm
481(w) x 769(h) x 705(d)mm
Pan - P850S
6/4L Cistern - C850S
Seat Oak - TS850NOSC



Back To Wall WC
385(w) x 410(h) x 520(d)mm
Pan - BTW850S
Seat Oak - TS850NOSC



550mm Round Basin & Pedestal 2 Tap Holes
550(w) x 918(h) x 470(d)mm
Basin - DB855S
Pedestal - PE850S



Cloakroom Basin & Pedestal 2 Tap Holes
500(w) x 895(h) x 305(d)mm
Basin - DB850CLS
Pedestal - PE850S



Wall Mounted Cloakroom Basin 2 Tap Holes
500(w) x 245(h) x 305(d)mm
Basin - DB850CLS
Trap - TRAP2



Semi-Countertop Basin 1 Tap Hole
550(w) x 195(h) x 435(d)mm
Min furniture depth 275mm
Basin - SCSB850S



Semi-Countertop Basin 2 Tap Holes
550(w) x 195(h) x 435(d)mm
Min furniture depth 275mm
Basin - SCDB850S



Painted Classic Toilet Seats
375(w) x 428(d)mm
Gloss White - TS850WSC
Linen White - DC4003
Matt Dark Grey - DC4004
Pebble Grey - DC4002
Mineral Blue - DC4014



Cloakroom Options



Vitoria cloakroom basins can be installed with a full pedestal or wall mounted unit using a chrome bottle trap. Alternatively coordinate with a cloakroom basin unit.

SEMI-COUNTERTOP BASINS

STANDARD DEPTH BASINS



Structure
Minimum furniture depth 320mm
550(w) x 170(h) x 430(d)mm
SCSB453S



Q60
Minimum furniture depth 320mm
515(w) x 160(h) x 430(d)mm
G3SCBAS



Q60
Minimum furniture depth 255mm
500(w) x 105(h) x 405(d)mm
G3SCBAS50



Lansdown - 1 Tap Hole
Minimum furniture depth 275mm
490(w) x 140(h) x 420(d)mm
DC14047



Lansdown - 2 Tap Hole
Minimum furniture depth 275mm
490(w) x 140(h) x 420(d)mm
DC14048



Loft/Micra Evo
Minimum furniture depth 290mm
475(w) x 150(h) x 420(d)mm
DC14029



Orbit
Minimum furniture depth 250mm
560(w) x 130(h) x 450(d)mm
DC14004



Aerial
Minimum furniture depth 290mm
560(w) x 155(h) x 430(d)mm
DC14002



Vitoria - 1 Tap Hole
Minimum furniture depth 275mm
550(w) x 195(h) x 435(d)mm
SCSB850S



Vitoria - 2 Tap Hole
Minimum furniture depth 275mm
550(w) x 195(h) x 435(d)mm
SCDB850S



SLIM DEPTH BASINS



Aerial
Minimum furniture depth 218mm
560(w) x 145(h) x 355(d)mm
DC14003



Q60
Minimum furniture depth 218mm
540(w) x 160(h) x 300(d)mm
G2SCBAS



Lansdown - 1 Tap Hole
Minimum furniture depth 218mm
490(w) x 140(h) x 370(d)mm
DC14045



Lansdown - 2 Tap Hole
Minimum furniture depth 218mm
490(w) x 140(h) x 370(d)mm
DC14046



Loft/Micra Evo
Minimum furniture depth 218mm
475(w) x 150(h) x 390(d)mm
DC14028



Orbit
Minimum furniture depth 215mm
540(w) x 145(h) x 385(d)mm
DC14005



Structure
Minimum furniture depth 218mm
550(w) x 170(h) x 330(d)mm
SCSB452S



CLOAKROOM BASINS



Dimension Basin
460(w) x 105(h) x 255(d)mm
DC14008



Matrix Left Hand Basin
370(w) x 110(h) x 230(d)mm
DC14009



Matrix Right Hand Basin
370(w) x 110(h) x 230(d)mm
DC14010



Vibe Basin
460(w) x 150(h) x 340(d)mm
SB745S



Vitoria Basin - 2 Tap Holes
500(w) x 245(h) x 305(d)mm
DB850CLS

Cloakroom basins require a bottle trap, see page 227 for trap options



STANDARD HEIGHT WCS

STANDARD HEIGHT CLOSE COUPLED WCS



Micra Evo Fully Enclosed Close Coupled WC
384(w) x 852(h) x 620(d)mm
Pan - PF950S
6/4L Cistern - C950S
Seat - DC14037



Micra Evo Open Back Close Coupled WC
384(w) x 852(h) x 620(d)mm
Pan - P950S
6/4L Cistern - C950S
Seat - DC14037



Loft Open Back Close Coupled WC
Spigot distance from wall 152mm
370(w) x 835(h) x 640(d)mm
Pan - DC14033
6/4L Cistern - DC14035
Seat - O803SC-SF



Orbit Fully Enclosed Close Coupled WC
Spigot distance from wall 190mm
370(w) x 835(h) x 620(d)mm
Pan - P250S
4.5/3L Cistern - RA453CCC
Seat - TS250S-SF



Structure Fully Enclosed Close Coupled WC
Spigot distance from wall 150mm
345(w) x 850(h) x 610(d)mm
Pan - PF450S
4.5/3L Cistern - C450S
Seat - TS450S



Structure Open Back Close Coupled WC
Spigot distance from wall 210mm
345(w) x 850(h) x 640(d)mm
Pan - P450S
4.5/3L Cistern - C450S
Seat - TS450S



Lansdown Short Projection Open Back Close Coupled WC
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DC14043
6/4L Cistern - DC14036
Seat - DC14037



Lansdown Short Projection Fully Enclosed Close Coupled WC
Spigot distance from wall 137mm
360(w) x 845(h) x 620(d)mm
Pan - DC14042
6/4L Cistern - DC14036
Seat - DC14037



Vitoria Close Coupled WC & Cistern
Spigot distance from wall 140mm
481(w) x 769(h) x 705(d)mm
Pan - P850S
6/4L Cistern - C850S
Seat Oak - TS850NOSC

CONTACTLESS WCS



The close coupled WCSs in the ranges below are also available with a contactless flush cistern.

- Micra Evo
- Orbit
- Structure
- Lansdown

See the individual range pages for further details

Choose Comfort



THE TALLER OPTION

The Comfort Height Collection

Comfort height close coupled WCs sit several centimetres taller than standard WCs, ideal for taller, less able or elderly users. The extra height of the pan helps keep knees at a more comfortable angle in use as well.

COMFORT HEIGHT WCS

COMFORT HEIGHT CLOSE COUPLED WCS



Aerial Open Back Comfort Height Close Coupled WC

Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm

Pan - PC650S
Cistern - C650S
Seat - TS650S



Aerial Fully Enclosed Comfort Height Close Coupled WC

Spigot distance from wall 160mm
395(w) x 875(h) x 620(d)mm

Pan - PCF650S
Cistern - C650S
Seat - TS650S



Structure Comfort Height Open Back Close Coupled WC

Spigot distance from wall 185mm
350(w) x 910(h) x 640(d)mm

Pan - PC455S
Cistern - C450S
Seat - TS450S



Structure Comfort Height Fully Enclosed Close Coupled WC

Spigot distance from wall 190mm
345(w) x 910(h) x 630(d)mm

Pan - PC450S
Cistern - C450S
Seat - TS450S



Loft Comfort Height Open Back Close Coupled WC

Spigot distance from wall 152mm
370(w) x 885(h) x 640(d)mm

Pan - DCI4034
6/4L Cistern - DCI4035
Seat - O803SC-SF



Orbit Fully Enclosed Comfort Height Close Coupled WC

Spigot distance from wall 195mm
370(w) x 880(h) x 620(d)mm

Pan - PCF250S
4.5/3L Cistern - RA453CCC
Seat - TS250S-SF

CONTACTLESS WCS



The close coupled WCs in the ranges below are also available with a contactless flush cistern.

- Aerial
 - Orbit
 - Structure
- See the individual range pages for further details

Secure-Fix QR

COMFORT HEIGHT BACK TO WALL WCS



Aerial Comfort Height Back To Wall Comfort WC*

380(w) x 460(h) x 505(d)mm

Pan - BTWC650S
Seat - TS650S



Structure Comfort Height Back To Wall WC*

345(w) x 460(h) x 515(d)mm

Pan - BTWC450S
Slim Seat - TS451S



Loft Comfort Height Back To Wall WC*

370(w) x 460(h) x 490(d)mm

Pan - DCI4027
Seat - O803SC-SF

Secure-Fix QR

Secure-Fix QR Adjustable hinge technology that keeps the seat firmly in place. Whilst also making installation simple and easy with the aid of a fitting template.

WALL HUNG WC FRAMES



FLUSH PLATE
OPTIONS
PAGE 188



1.17m Wall Hung WC Frame
500(w) x 1168(h) x 140-200(d)mm
Frame - TR9006

- 6/3 litres
- Use for in-wall applications
- Includes fittings
- 200mm height adjustment
- Air Gap inlet valve
- Requires flush plate/button or contactless sensor (available separately)

1.0m Wall Hung WC Frame
500(w) x 1000(h) x 167-215(d)mm
Frame - TR9015

- 6/3 litres
- Use for boxed in applications
- 200mm height adjustment
- Air Gap inlet valve
- Requires flush plate/button or contactless sensor (available separately)

0.82m Wall Hung WC Frame
500(w) x 820(h) x 167-215(d)mm
Frame - TR9005

- 6/3 litres
- Use with 600mm & wider furniture WC units
- 200mm height adjustment
- Air Gap inlet valve
- Requires furniture adaptor, flush plate/button or contactless sensor (available separately)



Furniture Adaptor Kit - TR9007

0.4m Wall Hung Half Height Frame
400(w) x 400(h) x 170-335(d)mm
Frame - TR9018

- Suitable for use in narrow back to wall units including 500mm wide
- For use with Vortex, Apex or Comfort height cisterns
- Can also be used for bidets
- 200mm height adjustment
- Use with the comfort height cistern to allow wall hung pans to be set at a higher position

WALL HUNG WC FRAME COMPATIBILITY CHART FOR FURNITURE SIZE / INSTALLATION TYPE

Flushing Solution	Std Depth 500 BTW Unit	Std Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/tiled-in with worktop	Boxed/tiled-in full height	Boxed/tiled-in full height - slim stud wall
1.17m Wall Hung WC Frame						•	•
1.0m Wall Hung WC Frame					•	•	
0.82m Wall Hung WC Frame		•*		•*	•	•	
0.4 Wall Hung Half Height Frame (Use with comfort height cistern if a higher WC height is desired)	• ^Δ	• ^Δ	• ^Δ	• ^Δ	• ^Δ		

WALL HUNG WCs



Aerial Wall Hung WC
Frame hole centres are 180mm
380(w) x 330(h) x 495(d)mm
Pan - WH650S
Seat - TS650S

Orbit Wall Hung WC
Frame hole centres are 180mm
365(w) x 320(h) x 510(d)mm
Pan - WH250S
Seat - TS250S-SF

Micra Evo Wall Hung WC
Frame hole centres are 180mm
360(w) x 320(h) x 510(d)mm
Pan - WH250S
Seat - DCI4037

Loft Wall Hung
Frame hole centres are 180mm
370(w) x 355(h) x 490(d)mm
Pan - PWHPAN
Seat - O803SC-SF

Secure-Fix QR

Secure-Fix QR



Structure Wall Hung WC
Frame hole centres are 180mm
340(w) x 322(h) x 505(d)mm
Pan - WH450S
Seat - TS451S

BACK TO WALL WCs



Micro Evo Back To Wall WC
365(w) x 410(h) x 490(d)mm
Pan - BTW950S
Seat - DCI4037

Lansdown Back To Wall WC
360(w) x 410(h) x 490(d)mm
Pan - DCI4044
Seat - DCI4037

Loft Back To Wall WC
370(w) x 410(h) x 490(d)mm
Pan - DCI4026
Premium Seat - DCI4030

Orbit Back To Wall WC
365(w) x 410(h) x 565(d)mm
Pan - BTW250S
Seat - TS250S-SF



Structure Short Projection Back To Wall WC
345(w) x 395(h) x 475(d)mm
Pan - BTW475S
Seat - TS450S



Structure Back To Wall WC
345(w) x 395(h) x 515(d)mm
Pan - BTW450S
Seat - TS450S



Vitoria Back To Wall WC
385(w) x 410(h) x 520(d)mm
Pan - BTW850S
Seat White - TS850WSC



Comfort Height Back To Wall WCs are available as an alternative option.

CONCEALED CISTERNS



In-Wall Cistern
600(w) x 754max(h) x 138-194(d)mm
Cistern - TR9009

- 6/3 litres
- Ideal for tiled in applications, all parts serviceable through flush plate aperture
- Internal isolation valve
- 150mm height adjustment
- Top or front flush plate mounting
- 1/2 BSP
- PS insulation jacket
- Air Gap inlet valve
- Requires flush plate/button or contactless sensor (available separately)

Vortex Cistern - Bottom Inlet
with chrome flush button
434(w) x 365(h) x 135(d)mm
Cistern - VOR790

- 6/3 litres
- Bottom entry inlet valve
- Top or front flush plate mounting
- 1/2 BSP
- PS insulation jacket
- Pneumatic flush valve
- Air Gap inlet valve

Apex Cistern - Side Inlet
with chrome flush button
464(w) x 365(h) x 135(d)mm
Cistern - TR9002

- 6/3 litres
- Side entry bottom entry inlet valve
- Top or front flush plate mounting
- 1/2 BSP
- PS insulation jacket
- Pneumatic flush valve
- Air Gap inlet valve

Comfort Height Cistern
with chrome flush button
437(w) x 324(h) x 165(d)mm
Cistern - TR9008

- 6/3 litres
- Developed specifically to allow comfort height back to wall pans to be used in 820mm high furniture
- Bottom entry inlet valve
- Top or front flush plate mounting
- 1/2 BSP
- PS insulation jacket
- Pneumatic flush valve
- Air Gap inlet valve

CONCEALED WC CISTERN COMPATIBILITY CHART


Application	Std Depth 500 BTW Unit	Std Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/tiled in with worktop	Boxed/ tiled-in full height
In-Wall Cistern					•	•
Apex Cistern - Side Inlet	•	•	•	•		
Comfort Height Cistern (for use with comfort height BTW WCs)	•	•	•	•		
Vortex Cistern - Bottom Inlet	•	•	•	•		

OPTIONAL UPGRADES FOR CONCEALED CISTERNS


FLUSH BUTTONS



Round Flush Buttons
ø75mm
Also compatible with wall hung WC frames
Black - TR9022
Brushed Brass - TR9034



Square Flush Buttons
71(w) x 71(h)mm
Also compatible with wall hung WC frames
Black - TR9028
Brushed Brass - TR9035
Chrome - TR9003



Oval Flush Button Chrome
140(w) x 80(h)mm
Larger flush interface, easy to install, template supplied
Black - TR9040
Chrome - TR9023
Black finish available March 2023

CLOSE COUPLED SENSOR FLUSH KITS

With a simple wave of the hand, hygienic, contactless flushing is now here for close coupled WCs. Two sizes are available depending on the size of the flush button hole in the cistern lid.

The button kits have been designed to retro-fit to existing WCs which have paddle operated flush valves. For cisterns which have pneumatic or cable operated flush valves, or where the button screws in directly to the flush valve, then the flush valve will also need to be swapped to our TR9033 valve which has a 2" base.

The following Tavistock cisterns require flush button kit TR9031.

- Structure
- Orbit
- Lansdown

The following Tavistock cisterns require flush button kit TR9032.

- Micra Evo
- Aerial

Alternatively, you can purchase your new close coupled WC cistern with the sensor flush kit included.



ø38mm close coupled sensor flush button kit
Button - TR9031




ø48mm close coupled sensor flush button kit
Button - TR9032




Close coupled flush valve 2" base
Valve - TR9033

FLUSH PLATES

Complete the look with a flush plate to suit your design.
Compatible for use with our wall hung frames or as an optional upgrade for cisterns.




Square Flush Plate - Chrome
210(w) x 137(h)mm
Flush Plate - TR9010




Square Flush Plate - Brushed Brass
210(w) x 137(h)mm
Flush Plate - TR9036




Square Flush Plate - Black
210(w) x 137(h)mm
Flush Plate - TR9020



Square Flush Plate - Stainless Steel
210(w) x 137(h)mm
Flush Plate - TR9019



Circles Flush Plate - Chrome
210(w) x 137(h)mm
Flush Plate - TR9012




Circles Flush Plate - Brushed Brass
210(w) x 137(h)mm
Flush Plate - TR9037



Circles Flush Plate - Black
210(w) x 137(h)mm
Flush Plate - TR9021



Traditional Flush Plate - Chrome
210(w) x 137(h)mm
Flush Plate - TR9017



Ellipse Flush Plate - Chrome
210(w) x 142(h)mm
Flush Plate - TR9004



Glass Dual Flush Plate - Black
210(w) x 137(h)mm
Flush Plate - TR9030

FLUSHING OPTIONS COMPATIBILITY CHART

Product	Code	Square TR9010/TR9037 TR9020/TR9019	Circles TR9012/TR9036 TR9030/TR9021	Traditional TR9017	Ellipse TR9004	Square button TR9003/TR9028/TR9035 Round Button TR9022/TR9034	Oval button TR9023	Contactless Sensor TR9014	Sensor TR9016 TR9025
1.17m wall hung WC frame	TR9006	•	•	•	•	• *	• *	• *	•
1.0m wall hung WC frame	TR9015	•	•	•	•	• *	• *	• *	•
0.82m wall hung WC frame	TR9005	•	•	•	•	• *	• *	• *	•
In-wall cistern	TR9009	•	•	•	•	• *	• *	• *	•
Comfort height cistern ^Δ	TR9008	• +	• +	• +	• +	•	• +	•	• +
Vortex cistern ^Δ	VOR790	•	•	•	•	•	•	•	• +
Apex cistern ^Δ	TR9002	•	•	•	•	•	•	•	• +

^Δ Round button supplied with cistern as standard *Compatible, so long as provision made for maintenance access

⁺ Compatible when used in standard depth furniture only

SENSOR FLUSH PLATE

CONTACTLESS DUAL FLUSH SENSOR PLATE

- Provides a touchless flush, with just the wave of a hand
- Best used with concealed cisterns in furniture
- Powered by 4 x AA batteries
- Low battery power alarm, battery life in excess of 1 year (normal domestic conditions, good quality batteries)
- Dual flush
- Discreet decal included to indicate sensor location
- Works through surfaces up to 25mm thick (including ceramic tiles, fascias & worktops)




TAKE A LOOK...
See how the contactless dual flush sensor works

Contactless Dual Flush Sensor

Black
210(w) x 137(h)mm

Sensor - TR9014



CONTACTLESS SENSOR DUAL FLUSH PLATE

- Recommended for in-wall installations
- Contactless flushing
- Powered by 4 x AA batteries (easy to change, no tools required)
- Low battery power alarm (battery life in excess of 1 year)
- Dual flush
- Manual override flush
- Illuminates on operation
- Use on wall hung frames and In-wall cistern (not compatible with slim depth furniture)

Contactless Sensor Flush Plate

Black
210(w) x 137(h)mm
Flush Plate - TR9025

TOUCH OPERATED SENSOR DUAL FLUSH PLATE

- Recommended for furniture or lower height installations
- Touch operated to prevent inadvertent use
- Powered by 4 x AA batteries (easy to change, no tools required)
- Low battery power alarm (battery life in excess of 1 year)
- Dual flush
- Manual override flush
- Illuminates on operation
- Use on wall hung frames and In-wall cistern (not compatible with slim depth furniture)

Touch Operated Dual Flush Sensor Plate

Black
210(w) x 137(h)mm
Flush Plate - TR9016

TAKE A LOOK...
See how the sensor flush plates operate



*Normal domestic conditions, good quality batteries